

## **ULTRA BAC\_GEL HYDROALCOOLIQUE (RÉF 520004 À** 520007

### Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

#### 1.1 Product identifier

ULTRA BAC GEL HYDROALCOOLIQUE Product name

RÉF 520004, 520005, 520006, 520007

Product code 2410000

Use of the Biocide

Substance/Mixture

Substance type: Mixture

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Skin disinfectant

Recommended restrictions

on use

Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet

: GEH Company 12, rue des Cortots

21121 FONTAINE LES DIJON

Tel: 03 80 57 07 07 Fax: 03 80 57 07 00 E-mail: geh@geh.fr

1.4 Emergency telephone number

Emergency telephone + 33(0)1 45 42 59 59

number

Date of Compilation/Revision 07.04.2022

Version

### Section: 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2 H225 Eye irritation, Category 2 H319

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal Word : Danger

118831E 1 / 13

## ULTRA BAC\_GEL HYDROALCOOLIQUE (RÉF 520004 À 520007)

Hazard Statements : H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

Precautionary Statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No

smoking.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water

for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### 2.3 Other hazards

None known.

#### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

#### **Hazardous components**

Chemical Name	CAS-No. EC-No.	Classification (REGULATION (EC) No 1272/2008)	Concentration : [%]
	REACH No.		
ethanol	64-17-5	Flammable liquids Category 2; H225	>= 50 - <=
	200-578-6	Serious eye damage/eye irritation	100
	01-2119457610-43	Category 2; H319	
	10,	Serious eye damage/eye irritation Category 2A 50 - 100 %	
Isopropyl Alcohol	67-63-0 200-661-7	Flammable liquids Category 2; H225 Eye irritation Category 2; H319	>= 1 - < 2.5
	01-2119457558-25	Specific target organ toxicity - single	
		exposure Category 3; H336	
Substances with a workp	lace exposure limit :		
glycerin	56-81-5	Not Classified;	>= 0.25 - <
	200-289-5		0.5
	01-2119471987-18		

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **Section: 4. FIRST AID MEASURES**

#### 4.1 Description of first aid measures

In case of eye contact : Rinse with water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

#### 4.2 Most important symptoms and effects, both acute and delayed

118831E 2 / 13

## ULTRA BAC\_GEL HYDROALCOOLIQUE (RÉF 520004 À 520007)

See Section 11 for more detailed information on health effects and symptoms.

#### 4.3 Indication of immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

#### Section: 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Fire Hazard

Keep away from heat and sources of ignition. Flash back possible over considerable distance.

Beware of vapours accumulating to form explosive concentrations.

Vapours can accumulate in low areas.

Hazardous combustion

products

: Depending on combustion properties, decomposition products

may include following materials:

Carbon oxides

nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

Special protective equipment

for firefighters

Use personal protective equipment.

Further information

Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or

explosion do not breathe fumes.

### Section: 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency

personnel

: Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in

sections 7 and 8.

Advice for emergency

responders

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable

materials.

#### 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.

#### 6.3 Methods and materials for containment and cleaning up

Eliminate all ignition sources if safe to do so. Stop leak if safe to Methods for cleaning up

118831E 3 / 13

## ULTRA BAC\_GEL HYDROALCOOLIQUE (RÉF 520004 À 520007)

do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### 6.4 Reference to other sections

See Section 1 for emergency contact information.

For personal protection see section 8.

See Section 13 for additional waste treatment information.

## Section: 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Advice on safe handling : Handle at room temperature. Keep away from fire, sparks and

heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Open drum carefully as content may be under pressure. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Hygiene measures : No specific measures identified.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep away from heat and sources of ignition. Keep in a cool, well-ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable

labeled containers.

Storage temperature : 5 °C to 25 °C

7.3 Specific end uses

Specific use(s) : Skin disinfectant

## Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No	<b>D</b> .	Value type (Form of exposure)	Control parameters	Basis
ethanol	64-17-5	j	AGW	200 ppm 380 mg/m3	TRGS 900
Further information	Y	Y When there is compliance with the OEL and biological tolerance values, ther is no risk of harming the unborn child		nce values, there	
Isopropyl Alcohol	67-63-0	)	AGW	200 ppm 500 mg/m3	TRGS 900
Further information	Y	When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
glycerin	56-81-5	j	AGW (Inhalable fraction)	200 mg/m3	TRGS 900
Further information	Y	When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			

118831E 4 / 13

# ULTRA BAC\_GEL HYDROALCOOLIQUE (RÉF 520004 À 520007)

## **Biological occupational exposure limits**

Substance name	CAS-No.	Control parameters	Sampling time	Basis
Isopropyl Alcohol	67-63-0	Acetone: 25 mg/l (Blood)	Immediately after exposition or after working hours	TRGS 903
		Acetone: 25 mg/l (Urine)	Immediately after exposition or after working hours	TRGS 903

## DNEL

Isopropyl Alcohol	End Use: Workers Exposure routes: Dermal Potential health effects: Long-term systemic effects 888 mg/kg
	End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 500 mg/m3
	End Use: Consumers Exposure routes: Dermal Potential health effects: Long-term systemic effects 319 mg/kg
	End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 89 mg/m3
	End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic effects 26 mg/kg

## **PNEC**

Isopropyl Alcohol :	Fresh water
	Value: 140.9 mg/l
~ 0	Marine water
	Value: 140.9 mg/l
	Intermittent use/release
	Value: 140.9 mg/l
	Fresh water
	Value: 552 mg/kg
	Marine sediment
	Value: 552 mg/kg
	Soil
	Value: 28 mg/kg
	Sewage treatment plant
	Value: 2251 mg/l
	Oral
	Value: 160 mg/kg

118831E 5 / 13

## ULTRA BAC\_GEL HYDROALCOOLIQUE (RÉF 520004 À 520007)

#### 8.2 Exposure controls

### Appropriate engineering controls

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Individual protection measures

Hygiene measures : No specific measures identified.

Eye/face protection (EN 166) : No special protective equipment required.

Hand protection (EN 374) : No special protective equipment required.

Skin and body protection (EN

14605)

: No special protective equipment required.

Respiratory protection (EN

143, 14387)

: No personal respiratory protective equipment normally required.

**Environmental exposure controls** 

General advice : Consider the provision of containment around storage vessels.

#### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Physical state : liquid
Colour : colourless

Odour : alcohol-like pH : 5.0 - 5.5, 100 %

Particle characteristics

Assessment : not applicable
Particle size : not applicable
Particle Size Distribution : not applicable
Dustiness : not applicable
Specific surface area : not applicable
Surface charge/Zeta : not applicable

potential

Shape : not applicable
Crystallinity : not applicable
Surface treatment : not applicable

/Coatings

Flash point : 22 °C closed cup

Odour Threshold : Not applicable and/or not determined for the mixture Melting point/freezing point : Not applicable and/or not determined for the mixture

118831E 6 / 13

## ULTRA BAC\_GEL HYDROALCOOLIQUE (RÉF 520004 À 520007)

Boiling point, initial boiling point and boiling range

: Not applicable and/or not determined for the mixture

Evaporation rate Flammability

Upper explosion limit

Lower explosion limit

: Not applicable and/or not determined for the mixture Not applicable and/or not determined for the mixture : Not applicable and/or not determined for the mixture : Not applicable and/or not determined for the mixture : Not applicable and/or not determined for the mixture

Vapour pressure

Relative vapour density : Not applicable and/or not determined for the mixture

Density and / or relative

density

: 0.86 - 0.869

Water solubility : soluble

Solubility in other solvents Partition coefficient: noctanol/water (log value)

: Not applicable and/or not determined for the mixture : Not applicable and/or not determined for the mixture

Auto-ignition temperature : Not applicable and/or not determined for the mixture : Not applicable and/or not determined for the mixture Thermal decomposition : Not applicable and/or not determined for the mixture Viscosity, kinematic : Not applicable and/or not determined for the mixture Explosive properties Oxidizing properties The substance or mixture is not classified as oxidizing.

#### 9.2 Other information

Not applicable and/or not determined for the mixture

### Section: 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

#### 10.4 Conditions to avoid

Heat, flames and sparks.

#### 10.5 Incompatible materials

None known.

#### 10.6 Hazardous decomposition products

Depending on combustion properties, decomposition products may include following materials: Carbon oxides

118831E 7 / 13

## ULTRA BAC\_GEL HYDROALCOOLIQUE (RÉF 520004 À 520007)

nitrogen oxides (NOx)

#### Section: 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

**Product** 

Acute oral toxicity : There is no data available for this product.

: There is no data available for this product. Acute inhalation toxicity

: There is no data available for this product. Acute dermal toxicity

Skin corrosion/irritation : There is no data available for this product.

Serious eye damage/eye

irritation

: There is no data available for this product.

Respiratory or skin

sensitization

: There is no data available for this product.

Carcinogenicity There is no data available for this product.

Reproductive effects There is no data available for this product.

Germ cell mutagenicity There is no data available for this product.

Teratogenicity There is no data available for this product.

STOT - single exposure There is no data available for this product.

STOT - repeated exposure There is no data available for this product.

Aspiration toxicity There is no data available for this product.

Components

Acute oral toxicity ethanol

LD50 rat: 10,470 mg/kg

Isopropyl Alcohol LD50 rat: 5,840 mg/kg

glycerin

LD50 rat: 18,300 mg/kg

Acute inhalation toxicity ethanol

> 4 h LC50 rat: 117 mg/l Test atmosphere: vapour

> Isopropyl Alcohol 4 h LC50 rat: > 30 mg/l Test atmosphere: vapour

118831E 8 / 13

## ULTRA BAC\_GEL HYDROALCOOLIQUE (RÉF 520004 À 520007)

Acute dermal toxicity : ethanol

LD50 rabbit: 15,800 mg/kg

Isopropyl Alcohol

LD50 rabbit: 12,870 mg/kg

glycerin

LD50 rabbit: 23,000 mg/kg

**Potential Health Effects** 

Eyes : Causes serious eye irritation.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Experience with human exposure** 

Eye contact : Redness, Pain, Irritation

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

11.2 Information on other hazards

Further information : no data available

Section: 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Environmental Effects : This product has no known ecotoxicological effects.

**Product** 

Toxicity to fish : no data available

Toxicity to daphnia and other : no data available

aquatic invertebrates

Toxicity to algae : no data available

Components

Toxicity to fish : ethanol

96 h LC50 Pimephales promelas (fathead minnow): > 100 mg/l

Isopropyl Alcohol

96 h LC50 Pimephales promelas (fathead minnow): 9,640 mg/l

glycerin

96 h LC50 Fish: 855 mg/l

Components

118831E 9 / 13

## ULTRA BAC\_GEL HYDROALCOOLIQUE (RÉF 520004 À 520007)

Toxicity to daphnia and other

aquatic invertebrates

ethanol

48 h EC50 Aquatic Invertebrate: 857 mg/l

Isopropyl Alcohol

LC50 Daphnia magna (Water flea): > 10,000 mg/l

### 12.2 Persistence and degradability

#### **Product**

no data available

### Components

Biodegradability : ethanol

Result: Readily biodegradable.

Isopropyl Alcohol

Result: Readily biodegradable.

glycerin

Result: Readily biodegradable.

#### 12.3 Bioaccumulative potential

no data available

#### 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

#### **Product**

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

#### 12.7 Other adverse effects

no data available

#### Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

#### 13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with chemical or

used container. Where possible recycling is preferred to disposal

or incineration. If recycling is not practicable, dispose of

118831E 10 / 13

## ULTRA BAC\_GEL HYDROALCOOLIQUE (RÉF 520004 À 520007)

contents/container in accordance with local regulations Dispose of wastes in an approved waste disposal facility.

Contaminated packaging

Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Guidance for Waste Code selection

Organic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.

#### **Section: 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (ADR/ADN/RID)

14.1 UN number or ID : 1170

number

14.2 UN proper shipping : ETHANOL SOLUTION

name

14.3 Transport hazard : 3

class(es)

14.4 Packing group : II14.5 Environmental hazards : No14.6 Special precautions for : None

user

## Air transport (IATA)

Contact Regulatory for air freight eligibility

#### Sea transport (IMDG/IMO)

14.1 UN number or ID : 1170

number

14.2 UN proper shipping : ETHANOL SOLUTION

name

14.3 Transport hazard : 3

class(es)

14.4 Packing group14.5 Environmental hazardsNo14.6 Special precautions forNone

user

14.7 Maritime transport in

bulk according to IMO

instruments

: Not applicable.

#### Section: 15. REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive : FLAMMABLE LIQUIDS P5c

2012/18/EU of the European Lower tier : 5,000 t

118831E 11 / 13

## ULTRA BAC\_GEL HYDROALCOOLIQUE (RÉF 520004 À 520007)

Parliament and of the Council on the control of majoraccident hazards involving dangerous substances.

Upper tier: 50,000 t

Candidate List of Substances : Not applicable. of Very High Concern for

Authorisation

#### **National Regulations**

#### Take note of Dir 94/33/EC on the protection of young people at work.

Hazard class for water : WGK 1

Classification according to AwSV, Annex 1

: 3 German storage class

#### 15.2 Chemical Safety Assessment

Information from the chemical safety assessment of substances present in the product is included in the appropriate sections of this safety data sheet, whenever necessary.

#### Section: 16. OTHER INFORMATION

## Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification	Justification
Flammable liquids 2, H225	Based on product data or assessment
Eye irritation 2, H319	Calculation method

#### Full text of H-Statements

Highly flammable liquid and vapour. H225 H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population

118831E 12 / 13

## ULTRA BAC\_GEL HYDROALCOOLIQUE (RÉF 520004 À 520007)

(Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Prepared by : Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

118831E 13 / 13